

## Before GASPAR

- every service (financial, personnel, student, etc) had its own database
- no unique identification



• HR service defines a unique ID (SCIPER)



• HR service defines a unique ID (SCIPER)



CAMIPRO card used to grant acces to buildings

based on SCIPER and a PIN code



• HR service defines a unique ID (SCIPER)



- CAMIPRO card used to grant acces to buildings
- based on SCIPER and a PIN code



• students' identification (SAC) based on SCIPER



HR service defines a unique ID (SCIPER)



CAMIPRO card used to grant acces to buildings

based on SCIPER and a PIN code



• students' identification (SAC) based on SCIPER




personnel data (BOTTIN) uses SCIPER



- HR service defines a unique ID (SCIPER)
- CAMIPRO card used to grant acces to buildings
  - based on SCIPER and a PIN code
  - students' identification (SAC) based on SCIPER
- personnel data (BOTTIN) uses SCIPER
- several OSCAR interactive terminals with CAMIPRO card slots installed at EPFL








GASPAR uniformly and seamlessly connects people to information and applications, by providing academic users with a hierarchical, integrated and personalized Web-based access to all of their relevant data.




# GASPAR: how to register





# GASPAR: how to register






# GASPAR: how to register





# GASPAR: how to register





GASPAR: how to register






GASPAR: how to register











GASPAR admin



GASPAR superuser



#### GASPAR: identification

- user's name (firstname, lastname) and/or SCIPER plus GASPAR password
- SSL certificate

### Lost password?



- OSCAR terminal identification via CAMIPRO card and PIN code – choose a new password
- contact GASPAR administrator



#### **GASPAR**: services

- base: e-mail, SSL certificates
- other: SW distribution, network management, students' services (jobs, rooms, exams results), etc.











1. application URL (http://prest.epfl.ch)

















3.1 authentication URL with client's details (SCIPER, e-mail, unit, IP)

YES

access restricted to GASPAR's IP active sessions

Time stamp | SCIPER | IP

server initiates session








YES

3.2 Redirect to application URL











1. GASPAR URL (https://gaspar.epfl.ch)







server initiates session

access restricted to GASPAR's IP

2. authentication URL with client's details (SCIPER, e-mail, unit, IP)




YES

application choice

active sessions

Time stamp | SCIPER | IP











1. GASPAR URL (https://gaspar.epfl.ch)



YES

server initiates session (timestamp, SCIPER,IP) access restricted to GASPAR's IP

application

server

2. authentication URL with client's details (SCIPER, e-mail, unit, IP)

application choice



3. Redirect to application URL



#### GASPAR administrator of the unit

- controls users from one or several units
- manages:
  - GASPAR registrations
  - e-mail accounts
  - access rights to all services
  - manages Access Managers



### **GASPAR Acces Manager**

• controls access rights to one or several services for all users from one or several units

### Access rights

• per person and service: access denied or granted (for 1,3,6,12 months or unlimited)



# **Exporting GASPAR?**

- yes for the principle (simple HTTP authentication)
- extra work needed to cope with local data structures